

Optimouse™ Plus

SecuGen

OptiMouse™ Plus

OptiMouse Plus features the industry's most accurate, rugged, and affordable USB fingerprint sensor using patented SEIR™ technology to give you the highest quality in fingerprint biometrics.



Features

- USB mouse with optical tracking and embedded fingerprint sensor
- Accurate, patented optical fingerprint sensor with 500 DPI resolution
- Smart Capture™ for reliable scanning of dry, moist, aged, scarred and difficult-to-scan fingers
- Hardened optical glass platen that is scratch, impact, corrosion and electrostatic shock resistant
- Programmable buttons and scroll wheel
- Ergonomic design for consistent placement of fingerprint
- Supports BioAPI, INCITS 378-2004, and ISO 19794
- Supports SecuGen proprietary, 3rd party, and MINEX Certified Template Extractor and Matcher algorithms

SecuGen Provides the Highest Quality in Fingerprint Biometrics at Affordable Prices

Durable

SecuGen fingerprint sensors are extremely rugged and feature a virtually indestructible sensor prism. From the sensor surface to the internal lens and electronic components, SecuGen sensors are designed to be strong and dependable to deliver consistent performance in indoor, outdoor and other harsh environments.

Accurate

SecuGen sensors are very accurate thanks to a patented optic design that produces distortion-free images from which data points are extracted for matching. Higher quality images mean greater precision, less false rejection and acceptance, and better overall performance.

Maintenance-free

Unlike semiconductor-based sensors and other optical sensors in the market, SecuGen sensors are made with a hard quartz-like material that needs no coatings but resists scratches, ESD, corrosion and other stresses. The optic parts are tightly assembled so that if the sensors are ever dropped, there is no need for recalibration.

Cost-effective

SecuGen designs, develops and manufactures its own fingerprint sensors that are built to last. SecuGen guarantees the best product quality in the industry, which translates into savings by eliminating costly replacements and losses from system downtime.

Benefits of Using SecuGen Readers

Reduced password reset requests, decreased risk of security breaches, and improved accountability, all in a convenient and intuitive method for almost any user.

Easy to install and use with software applications requiring fingerprint authentication that lets your fingerprints act like digital passwords that cannot be lost, forgotten or stolen.

Consistent performance and security for a growing number of applications, with support for a wide range of operating systems, computing environments, and U.S. and international biometric standards.

Backed by the industry's best quality guarantee and over a decade of field use and proven performance under extreme conditions. This helps avoid the cost and inconvenience of replacing damaged units made by other sensor manufacturers.

Typical Applications

OptiMouse Plus works with many kinds of applications to increase security including:

- Computer, network or internet security
- Bank and financial systems
- Medical information systems
- Labor and attendance tracking
- Any password-based application ...

Free SDKs

With a variety of SecuGen SDKs to choose from, OptiMouse Plus is easy to integrate into almost any kind of application.

Request free SDKs or search for compatible partner software at www.secugen.com.

Specifications

Product Name	OptiMouse Plus
Model Number	MSDU03P
Fingerprint Sensor	
Optic Module	SDU03P
Image Resolution	500 DPI
Image Size	260 x 300 pixels
Platen Size	16.1 mm x 18.2 mm
Effective Sensing Area	13.2 mm x 15.2 mm
Image Grayscale	256 levels (8-bit)
Light Source / Typical Lifetime	LED / 60,000 hours
Fingerprint Capture Speed	0.2 ~ 0.5 second with Smart Capture
Electrical / Communication	
Interface	USB 1.1 Full-Speed, USB 2.0 Hi-Speed
Supply Voltage	5 V DC (via USB)
Current Consumption (max)	180 mA
Physical	
Dimensions (W x L x H)	63 x 120 x 39 mm
Weight	170 g
Cable Length	1400 mm
Operating Temperature	-10° ~ 50° C
Operating Humidity	90% or less RH, noncondensing
Other	
Warranty	One year limited
Supported Standards	ANSI INCITS 378, BioAPI, ISO/IEC 19794-2, ISO/IEC 19794-4
Compliance	FCC, CE, KCC, RoHS
Supported Operating Systems	Windows 8.1, 8, 7, Vista, XP, 2000, 9x Windows Server 2012, 2008 R2, 2003 Windows CE, Java

What's Inside?

At the heart of the OptiMouse Plus is SecuGen's next-generation fingerprint sensor with advanced features including:



- **Smart Capture™** that captures high quality fingerprints from dry, moist, aged, scarred and difficult-to-scan fingers for greater accuracy and reliability ¹
- **High durability and ruggedness** with proven resistance to electrostatic shock, impact, drops, scratches, extreme temperatures, humidity, and contaminants such as sweat, dirt, and oil
- **Patented optical technologies for clear, accurate image quality** with high contrast, high signal-to-noise ratio, and practically no distortion using Surface Enhanced Irregular Reflection (SEIR™)
- **Reliable performance** even under challenging conditions and tough environments
- **Rejection of false fingerprints** such as latent prints and 2-D fingerprint images such as photocopies ²
- **Fingerprint data protection** with templates that cannot be used to reconstruct fingerprint images ²
- **Greater sensor-to-sensor consistency** for high accuracy when matching fingerprints enrolled with different fingerprint readers at different locations
- **Ease of integration** into many types of applications using a wide offering of free Software Developer Kits
- **Multi-Device Connectivity™** that allows multiple fingerprint readers to be connected to one computer at the same time ²
- **Device Recognition™** that identifies and recognizes different fingerprint readers ²

¹ Auto-On and Smart Capture are built into the sensor but need to be enabled by the software application that calls for a fingerprint scan.

² Feature dependent upon software application used

SecuGen

SecuGen Corporation
www.secugen.com

Open the World with Your Fingertip!®